

Loewe Individual

46

EU energy efficiency class:	B
Screen diagonal (in cm) / Picture format:	117 / 46
Power consumption „ON“ ¹ (in W):	109.0
Annual energy consumption (kWh) ² :	151
Power consumption in stand-by mode / off (in W):	0.47 / 0
Resolution (in pixels):	1,920 x 1,080

Set-up options

Wall Mount Slim / VESA Size 200, Chrome Silver

Flat mounting

Without Stereospeaker:

W 104.8 / H 65.5³ / TD 6.6 / PD 7.4

With Stereospeaker:

W 104.8 / H 69.3 / TD 6.6 / PD 7.4



Wall Mount WM 65, Chrome Silver

Convenient mounting, adjustable incline (0 or ca. +2°)

Without Stereospeaker:

W 104.8 / H 65.5³ / TD 6.6 / PD 8.6

With Stereospeaker:

W 104.8 / H 69.3 / TD 6.6 / PD 8.6



Table Stand Cross⁵, Chrome coating

Rotatable (+/-45°), adjustable incline (+1° to -5°)

Without Stereospeaker:

W 104.8 / H 68.7 / TD 6.6 / PD 32.5

With Stereospeaker:

W 104.8 / H 75.3 / TD 6.6 / PD 32.5



Wall Mount Isoflex⁴, Aluminium

Flexible solution, folds flat, can be pulled out straight, rotated and pivoted, adjustable incline (+2° to 0°), intelligent cable management

Without Stereospeaker:

W 104.8 / H 65.5³ / TD 6.6 / PD 11.9 to 49.4

With Stereospeaker:

W 104.8 / H 69.3 / TD 6.6 / PD 11.9 to 49.4



Wall Stand Flex⁴, Brushed Aluminium

Fixed mounting at any height, adjustable incline (-2° to +2°), intelligent cable management

W 104.8 / H 180.4 / TD 6.6 / PD 30.0



Table Stand Plate⁵, Aluminium

Rotatable (+/-45°), adjustable incline (+1° to -5°)

Without Stereospeaker:

W 104.8 / H 67.1 / TD 6.6 / PD 32.0

With Stereospeaker:

W 104.8 / H 73.7 / TD 6.6 / PD 32.0



TV housing

Colours

	Model	Article no.	EAN Code
	Individual 46	52402U43	4011880138550
High Gloss White			
	Individual 46	52402L43	4011880138512
Alu Black			
	Individual 46	52402B43	4011880138475
Alu Silver			
	Individual 46	52402P43	4011880144209
Alu Titan			

TV insets

Colours and materials

Green	Orange	Red
High Gloss White	Aluminium Black	Beige
Alu Silver	Ebony	Light Oak
Metallised Chrome	+ individual colour preference on request	

Insets ex works: Aluminium Silver.

Contents: Assist 1 system remote control, aluminium, incl. batteries.

N.B. Set-up options are not included in ex-works delivery. Some products are depicted with optional accessories.

Dimensions in cm: W = Width, H = Height, PD = Product Depth, TD = Total Depth, DB = Diameter/Dimensions of Base plate

¹ To EN 62087 : 2009. ² On the basis of four hours of operation per day, 365 days a year. Actual energy consumption depends on the purpose for which the TV is used.

³ Includes operating ring. ⁴ Only in conjunction with a corresponding adapter, to be ordered separately. ⁵ Optionally available with motorised rotation.

LOEWE.

Loewe Individual

46

Set-up options

Floor Stand Cross¹, Chrome coating

Rotatable (+/- 45°), adjustable incline (+1° to -5°)
Optional with Stereospeaker or Sound Projector:
W 104.8 / H 115.2 / TD 6.6 / PD 49.7



Floor Stand Plate¹, Aluminium

Rotatable (+/- 45°), adjustable incline (+1° to -5°)
Optional with Stereospeaker or Sound Projector:
W 104.8 / H 114.2 / TD 6.6 / PD 56.2



Screen Lift Plus²

+ Stereospeaker, Brushed Aluminium
Manual rotation (+/- 90°), adjustable incline
(0° to -5°), concealed cable routing
W 104.8 / H 300.0 / TD 6.6 / PD 20.1



Loewe Rack²

Different versions, sizes and colours available to
match Loewe TV, sound system and equipment



Insets for set-up options³

Colours and materials



Green



Orange



Red

High Gloss
WhiteAluminium
Black

Beige



Alu Silver



Ebony




Light Oak



+ individual colour preference on request

Ex works: Chrome coating

Technical features



Contents: Assist 1 system remote control, aluminium, incl. batteries.

N.B. Set-up options are not included in ex-works delivery. Some products are depicted with optional accessories.

Dimensions in cm: W = Width, H = Height, PD = Product Depth, TD = Total Depth, DB = Diameter/Dimensions of Base plate

¹ Optionally available with motorised rotation. ² Only in conjunction with a corresponding adapter, to be ordered separately. ³ Only for Table Stand Cross and Floor Stand Cross.

LOEWE.

Technical information

Loewe Individual

46
incl. DR⁺



Image ⁺ (Image)	
Contrast filter panel / 3D glass panel / high gloss frames	● / —
Display technology	Full-HD-LCD with E-LED backlight
Screen diagonal (in cm) / Picture format / Resolution (in pixels)	117 / 46 : 16 : 9 / 1,920 x 1,080
Brightness (in cd/m ²) / Viewing angle (horizontal/vertical)	450 / 178° / 178°
Contrast (static/dynamic)	5,000 : 1 / 5,000,000 : 1
Response time (in ms) / Picture repetition rate	5 / 400Hz
Fully digitised signal processing / Image ⁺ Active / 24 p motion picture display	● / ● / ●
3D technology / 2D-3D conversion / Active Glasses 3D	● / ● / ○
Format options ¹ (16 : 9, 4 : 3, Panorama, Zoom)	●
Video auto-dimming (VBD ⁺) / Interior auto-dimming (OPC) / Home Mode	● / ● / ●
Sound ⁺ (Audio)	
Output in W (music/sine)	2 x 20 / 2 x 40
Acoustic speaker concept	Speaker Array System
Individual bass and treble control / Volume / Sound effects	● / ● / ●
Automatic voice detection / Automatic Volume Control (AVC)	● / ●
Dolby Digital Plus / dts / 5.1 Out / Two-channel	● / ● / ● / ●
Audio out available: variable / fixed / Subwoofer	● / ● / ● (via Digital Audiolink)
Digital ⁺ (Television standards)	
DVB-T / DVB-T2 / DVB-C / DVB-S2 / Multistandard (analogue) / Dual Channel	● / ● / ● / ● / ● / ●
A/V-Decoding: MPEG / MPEG2 / MPEG4 / integrated HDTV reception ²	● / ● / ● / ●
Colour standard: PAL / Secam / NTSC / NTSC-V / PAL-V (60 Hz)	● / ● / ● / ● / ●
Audio standard: Two-channel FM / AM, Nicam	● / ●
Assist ⁺ (Operation)	
Automatic Channel Programming (ACP) / Channel recognition	● / ●
DVB radio / Programme positions including AV and radio	● / 6,000
Digital Link Plus / Digital Link HD	● / ●
Video text Level 2.5 / TOP-Video text / FLOF-Video text / Page memory	● / ● / ● / 2,000
Personalised Video text with direct access to favourites / bookmarked pages	● / ●
PIP (AV) ³ / Full PIP / Splitscreen TV : Video text	● / ● / ●
Electronic Program Guide (EPG) / Assist Media app	● / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●
Context Related Help / Menu languages ⁴	● / 19
Media ⁺ (Multimedia functions)	
DR ⁺ / storage capacity in GB / USB recording (for DR ⁺ : USB archive)	● / 750 / ●
DR ⁺ Streaming server / client	● / ●
MediaHome (photos, music and video via home network / USB)	● / ●
MediaNet (Internet portal / browser / Internet radio)	● / ● / ●
MediaText (HbbTV) / MediaUpdate	● / ●
Connectivity ⁺ (Connectors)	
HDMI with HDCP / USB / Component (YUV) In ⁵	4 (1x ARC) / 3 / ○
Mini Scart ⁵ / S-VHS, Hi-8 / RGB	1 / 1 / 1
Copy function Front-AV to Euro-AV	●
Digital audio-in (Cinch) / Digital audio-out (Cinch)	● / ●
Analogue audio-out (L/R) / Center-in (Cinch)	● / ●
Analogue Audiolink ⁷ / Digital Audiolink ⁶	— / ●
VGA ⁵ / RS 232 C (RJ12) / Motor control / IR-Link	Mini-VGA / ● / ● / ●
Side AV Video- / S-VHS, Hi-8-ready / Headphone (jack 3.5 mm)	● / ● / ●
Common Interface CI / CI Plus certified ⁷	2 / ●
LAN network connection / integrated WLAN	● / ●
Environment	
EU energy efficiency class / Annual energy consumption (kWh) ⁸	B / 151
Power consumption in stand-by mode / off (in W)	0.47 / 0
Power consumption „ON“ ⁹ (in W) / Peak luminance ratio in %	109.0 / 75.0
Mercury content in mg / contains lead ¹⁰	0.0 / traces
Miscellaneous	
Weight (approx.) in kg	21.8
Power switch / Mains voltages	● / 220 – 240 V, 50 / 60 Hz
VDE-safety standard (inspection seal)	●

● = included/installed ○ = upgradeable/optional

¹ Dependent on SD/HD input format.

² Reception of digital channels may be limited by individual regulations from the respective broadcaster/provider.

³ On sets without DR⁺: AV-PIP is only available in combination with DVB-T/C/S.

⁴ D-GB-F-I-E-NL-CZ-GR-PL-H-FIN-SLO-SK-TR-S-DK-P-RUS-N

⁵ Only in conjunction with a corresponding adapter, to be ordered separately.

⁶ Loewe System 5.1 Out, Stereo Out, Subwoofer Out, Center In.

⁷ CI Plus is backwards compatible with CI. Functionality is dependent on module availability from the supplier.

⁸ On the basis of four hours of operation per day, 365 days a year.

⁹ To EN 62087 : 2009.

¹⁰ Traces may occasionally be found in electronic components (in compliance with the recent European RoHS directive).